



Wall Lights

LANDSCAPE LIGHTS



Description

Wall Lights, uses SMD/COB LED for indoor and outdoor applications. Housing is made of Die-Cast Aluminum with powder coating. Luminaire uses high quality PC diffuser.

Product Features

- SMD LEDs
- Built-in LED driver
- Available in different shapes
- Installation: Wall/Surface Mounted
- Working temperature: -20°C to 50°C
- IP rating: IP20/IP65
- Life span: 50,000 hours



Electrical Specifications

- Rated Supply Voltage: 220-240V
- Frequency: 50/60Hz

Applications





Landscape




Gardens

DU201-10




Power	4x3W
LED type	COB
Luminous flux	1020 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU201-10




Power	10W
LED type	SMD
Luminous flux	850 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU301-8




Power	2x3W+2W
LED type	SMD/COB
Luminous flux	680 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU302-15




Power	4x3W+3W
LED type	SMD/COB
Luminous flux	1275 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU401-3




Power	3W
LED type	COB
Luminous flux	255 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU402-3




Power	3W
LED type	COB
Luminous flux	255 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU501-6




Power	2x3W
LED type	COB
Luminous flux	510 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU601-6




Power	2x3W
LED type	COB
Luminous flux	510 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU701-5




Power	5W
LED type	SMD
Luminous flux	425 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU702-5




Power	5W
LED type	SMD
Luminous flux	425 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU703-5




Power	5W
LED type	SMD
Luminous flux	425 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU704-5




Power	5W
LED type	SMD
Luminous flux	425 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU705-5




Power	5W
LED type	SMD
Luminous flux	425 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU706-30




Power	30W
LED type	SMD
Luminous flux	2550 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU707-10




Power	10W
LED type	SMD
Luminous flux	850 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU801-5




Power	5W
LED type	COB
Luminous flux	425 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU802-7




Power	7W
LED type	COB
Luminous flux	595 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU901-18




Power	6x3W
LED type	COB
Luminous flux	1530 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU142-30




Power	30W
LED type	SMD
Luminous flux	2550 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU143-10




Power	10W
LED type	SMD
Luminous flux	850 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU144-20




Power	20W
LED type	SMD
Luminous flux	1700 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU145-10




Power	10W
LED type	SMD
Luminous flux	850 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU146-20




Power	20W
LED type	SMD
Luminous flux	1700 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU147-10




Power	10W
LED type	SMD
Luminous flux	850 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU148-10




Power	10W
LED type	SMD
Luminous flux	850 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU149-24




Power	24W
LED type	SMD
Luminous flux	2040 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU150-13




Power	10+3W
LED type	SMD
Luminous flux	1105 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU151-21




Power	18+3W
LED type	SMD
Luminous flux	1785 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU152-20




Power	20W
LED type	SMD
Luminous flux	1700 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU153-12




Power	2x6W
LED type	SMD
Luminous flux	1020 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU154-12




Power	2x6W
LED type	SMD
Luminous flux	1020 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU155-7




Power	7W
LED type	SMD
Luminous flux	595 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU156-14




Power	2x7W
LED type	SMD
Luminous flux	1190 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU157-7




Power	7W
LED type	SMD
Luminous flux	595 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU158-14




Power	2x7W
LED type	SMD
Luminous flux	1190 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU159-7




Power	7W
LED type	SMD
Luminous flux	595 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU160-12




Power	12W
LED type	SMD
Luminous flux	1020 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU161-7




Power	7W
LED type	SMD
Luminous flux	595 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU162-12




Power	12W
LED type	SMD
Luminous flux	1020 lm
Luminous efficacy	85 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-001-W




Power	8W
LED type	SMD
Luminous flux	160 lm
Luminous efficacy	20 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-002-W




Power	10W
LED type	SMD
Luminous flux	265 lm
Luminous efficacy	26 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-003-W




Power	11W
LED type	SMD
Luminous flux	473 lm
Luminous efficacy	43 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-004-W




Power	8W
LED type	COB
Luminous flux	472 lm
Luminous efficacy	59 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-005-W




Power	6W
LED type	COB
Luminous flux	360 lm
Luminous efficacy	60 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-006-W




Power	11W
LED type	SMD
Luminous flux	380 lm
Luminous efficacy	35 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-007-W-1




Power	8W
LED type	COB
Luminous flux	165 lm
Luminous efficacy	21 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-008




Power	4W
LED type	SMD
Luminous flux	160 lm
Luminous efficacy	40 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-009




Power	4W
LED type	SMD
Luminous flux	160 lm
Luminous efficacy	40 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-010-Q




Power	4W
LED type	SMD
Luminous flux	160 lm
Luminous efficacy	40 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-011-Q



Power	4W
LED type	SMD
Luminous flux	160 lm
Luminous efficacy	40 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80

DU-012



Power	7W
LED type	SMD
Luminous flux	220 lm
Luminous efficacy	32 lm/W
CCT	3000K/4000K/6500K
CRI	Ra >80